

GUCE51

USB Ethernet Extender (TAA Compliance)



USB Ethernet Extender


The GUCE51 comprises two units, Local and Remote. These units are interconnected with Cat5, Cat5e, or Cat6 cabling. Now you can extend peripherals to locations up to 198 feet away.

- Extend USB connection through Cat5, Cat5e, or Cat6 cable
- Access a single USB device from up to 198 feet away via Ethernet connection
- Extremely easy to install



- Compact design, allows for easy placement
- Fully compliant with (1.0, 1.1) USB standards
- For use with any USB compatible computer
- No software required
- TAA compliant





Requirements

Package Contents

- Hardware:
- USB 2.0 port
- USB 2.0 devices
- CAT5e, or CAT6
 RJ45 Ethernet cables
- Operating System:
- Windows® XP, Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1, Windows® 10
- Mac OS 9 to 10.x
- Oracle® Solaris
- Linux®, Unix and other USB supported systems*
- Google Chrome OS™
- *Additional drivers and support may be needed

- 1 GUCE51 Remote Unit
- 1 GUCE51 Local Unit
- 1 -Warranty/Registration Card



Specifications

Function	GUCE51	Dimensions	GUCE51
Housing		Unit Dimensions	
Case	Plastic	Width	1.31 in. (3.3 cm.)
Power		Height	0.93 in. (2.3 cm.)
Voltage	5.0 V	Depth	1.93 in. (4.9 cm.)
Amps	300mA	Length	18.0 in. (45.0 cm.) Local Units Cable Length
Power Consumption	5.0 V; 300mA	Inner Pack	
Operating Temperature	0 to 40 degrees (Celsius)	Width	17.25 "
Storage Temperature	0 to 70 degrees (Celsius)	Height	11.5"
Operating System Support	Windows XP®, Windows Vista®, Windows® 7, Windows® 8, Windows® 8.1 / Mac OS X v8.6 and above / Linux Kernel / Google Chrome OS?	Length	12.13"
		Inner Pack Qty.	20
USB Specification	USB 1.1 compliant	Unit Package Dimensions	
Humidity	20-80% RH, (Non Condensing)	Width	8.38 in.
USB bandwidth	12 Mbps (1.5MBps)	Height	6 in.
oob bahawaan	12 Maps (1.6Maps)	Depth	2.13 in.
		Master Carton	
		Width	17.88 in.
		Height	24 in.
		Depth	13 in.
		Master Carton Qty.	40
		Weight	
		Master Carton Wt.	20.35 lb.
		Inner Pack Wt.	9.05 lb.
		Unit Pack Wt.	0.4 lb.
		Unit Wt.	0.20 lb.