# Safety Data Sheet



Revision Number: 004.0

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Product type: Epoxy Restriction of Use: None Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

LOCTITE EA E-05MR A 5GA PART NO. IDH number: 1087602 Epoxy resin Item number None identified Region: Contact infor

Item number:1087602Region:United StatesContact information:Telephone:(860) 571-5100MEDICAL EMERGENCY Phone:Poison Control Center1-877-671-4608 (toll free) or 1-303-592-1711TRANSPORT EMERGENCY Phone:CHEMTREC1-800-424-9300 (toll free) or 1-703-527-3887Internet:www.henkelna.com

1087602

#### 2. HAZARDS IDENTIFICATION

# EMERGENCY OVERVIEW WARNING: CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1



#### **Precautionary Statements**

Prevention:	Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye and face protection. Wear protective gloves.
Response:	IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing.
Storage:	Not prescribed
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

3 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Epoxy resin	Proprietary	30 - 60	
Epoxy resin	Proprietary	10 - 30	
Epoxy resin	Proprietary	10 - 30	
Substituted silane	Proprietary	1 - 5	

\* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

e to fresh air. If not breathing, give artificial respiration. If breathing is ult, give oxygen. If symptoms develop and persist, get medical attentio ove contaminated clothing and footwear. Immediately flush skin with y of water (using soap, if available). If symptoms develop and persist, cal attention. Wash clothing before reuse. Thoroughly clean shoes bef e. ediately flush eyes with plenty of water for at least 15 minutes. Get cal attention. NOT induce vomiting unless directed to do so by medical personnel. er give anything by mouth to an unconscious person. If symptoms deve persist, get medical attention.
y of water (using soap, if available). If symptoms develop and persist, cal attention. Wash clothing before reuse. Thoroughly clean shoes bef e. ediately flush eyes with plenty of water for at least 15 minutes. Get cal attention. NOT induce vomiting unless directed to do so by medical personnel. er give anything by mouth to an unconscious person. If symptoms deve
cal attention. NOT induce vomiting unless directed to do so by medical personnel. er give anything by mouth to an unconscious person. If symptoms deve
er give anything by mouth to an unconscious person. If symptoms deve
Section 11.
HTING MEASURES
er spray (fog), foam, dry chemical or carbon dioxide.
r self-contained breathing apparatus and full protective clothing, such a out gear.
se of fire, keep containers cool with water spray. Closed containers m rre (due to build up of pressure) when exposed to extreme heat.
es of carbon. Acids. Aldehydes. Phenolics. Irritating vapors.
a

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Ensure adequate ventilation. Wear appropriate personal protective equipment. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal.

## 7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Use only with adequate ventilation. Keep container closed.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Keep away from heat, spark and flame. Protect from direct sunlight.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epoxy resin	None	None	None	None
Epoxy resin	None	None	None	None
Epoxy resin	None	None	None	None
Substituted silane	None	None	None	None
Engineering controls: Respiratory protection:	Use local exhaust ventilation if the potential for airborne exposure exists. Use a NIOSH approved respirator if ventilation is inadequate.			
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.			
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.			

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: . Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:** Viscosity: Decomposition temperature:

Liquid Clear Slight Not available. Not available. Not available. Not available. Not available. 1.18 Not available. > 95.9 °C (> 204.62 °F) Pensky Martens closed cup Not available. Not available. Not available. Not available. Insoluble Not available. 0 %; 0 g/l (value as mixed for use) Not available. Not available.

# **10. STABILITY AND REACTIVITY**

Stability:	Stable at normal conditions.
Hazardous reactions:	Reaction with some curing agents may produce an exothermic reaction which in large masses could cause runaway polymerization.
Hazardous decomposition products:	Oxides of carbon. Aldehydes. Acids. Phenolics. Irritating vapors.
Incompatible materials:	Oxidizing agents. Strong acids and strong bases. Amines.
Reactivity:	Not available.
Conditions to avoid:	Keep away from heat, ignition sources and incompatible materials. Protect from direct sunlight. Note: Heating the epoxy resin in this product above 148.9 °C (300 °F) in the presence of air may cause slow oxidative decomposition. Above 260 °C (500 °F) polymerization of the epoxy resin may occur. Aliphatic polyamines can produce exothermic reactions with epoxy resins which in large masses can cause runaway polymerization and charring of the reactants. Fumes and vapors from these thermal and chemical decompositions vary widely in composition and toxicity. Do not breathe fumes.
	11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes

#### Potential Health Effects/Symptoms

Inhalation:	Inhalation of vapors or mists of the product may be irritating to the respiratory system.
Skin contact:	Causes skin irritation. May cause allergic skin reaction.
Eye contact:	Causes serious eye irritation.
Ingestion:	Not expected under normal conditions of use.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Epoxy resin	None	Allergen, Irritant
Epoxy resin	None	Allergen, Irritant
Epoxy resin	None	Allergen, Irritant
Substituted silane	None	Allergen, Irritant

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Epoxy resin	No	No	No
Epoxy resin	No	No	No
Epoxy resin	No	No	No
Substituted silane	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

1:	3. DISPOSAL CONSIDERATIONS
Info	ormation provided is for unused product only.
Recommended method of disposal:	Follow all local, state, federal and provincial regulations for disposal.
Hazardous waste number:	Not a RCRA hazardous waste.
·	14. TRANSPORT INFORMATION
The transport information provided in package/configuration.	this section only applies to the material/formulation itself, and is not specific to any
U.S. Department of Transportation Gro	ound (49 CFR)
Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (ICAO	
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin resin, Bisphenol-F Epichlorhydrin resin)
Hazard class or division:	9
Hazard class or division: Identification number:	9 UN 3082
Identification number: Packing group:	UN 3082
Identification number:	UN 3082
Identification number: Packing group: Water Transportation (IMO/IMDG)	UN 3082 III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol
Identification number: Packing group: Water Transportation (IMO/IMDG) Proper shipping name:	UN 3082 III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol Epichlorhydrin resin, Bisphenol-F Epichlorhydrin resin)
Identification number: Packing group: Water Transportation (IMO/IMDG) Proper shipping name: Hazard class or division:	UN 3082 III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol Epichlorhydrin resin, Bisphenol-F Epichlorhydrin resin) 9

# **15. REGULATORY INFORMATION**

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimis
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis Immediate Health None above reporting de minimis
California Proposition 65:	This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

# **16. OTHER INFORMATION**

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Rena Petrides, Regulatory Affairs Specialist

Issue date: 08/27/2014

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.