



1 LEVER BODY

Glass-fibre reinforced polyamide based (PA) technopolymer, in Elecolors colours, matte finish.



2 PUSH BUTTON

Technopolymer in Elecolors colours, glossy finish.



3 STANDARD EXECUTIONS

Glass-fibre reinforced technopolymer clamping element with retaining pin, black colour, with knurling on the protruding part to make initial tightening easier. AISI 302 stainless steel return spring.

- **ERX-B:** brass boss, threaded blind hole.
- **ERX-SST:** AISI 303 stainless steel boss, threaded blind hole.
- **ERX-p:** zinc-plated steel threaded stud, chamfered flat end UNI 947 : ISO 4753 (see Technical data on page A-11).
- **ERX-SST-p:** AISI 303 stainless steel threaded stud, chamfered flat end UNI 947 : ISO 4753 (see Technical data on page A-11).



4 FEATURES AND APPLICATIONS

Particularly suitable when the lever turning angle is limited owing to lack of space. Compared to other types of adjustable handles with metal retaining screw this solution offers:

- absolute electric insulation for the operator
- no visible steel parts subject to rust
- more comfortable lever release.



5 STRESS RESISTANCE

Adjustable handles are generally used for repetitive clamping operations sometimes with very high-frequency. Therefore, the stress resistance (i.e. the resistance to repeated tightening cycles) of the handle unit is particularly important and, especially, the strength of the toothed element which transmits the tightening force from the handle to the threaded element (boss or stud). In fact, the results of several laboratory tests, performed with a special instrument that simulates the most severe use conditions, have shown that e.g. ERX.78 adjustable handle can withstand without yielding more than 100,000 tightening cycles, under the action of a force of 490 N (see graphic).

The special glass-fibre reinforced technopolymer enables the ELESa adjustable handles to guarantee stress resistance values which are much higher than the ones generated under normal working conditions.



6 INSTRUCTIONS OF USE

For clamping, lift the lever to disengage the clamping device teeth and bring it back to start position. By releasing the lever, the return spring automatically engages the teeth.



7 DIMENSIONS



8 CLAMPING HANDLES



9 CLAMPING HANDLES



10 CLAMPING HANDLES



11 CLAMPING HANDLES



12 CLAMPING HANDLES



13 CLAMPING HANDLES



14 CLAMPING HANDLES



15 CLAMPING HANDLES



16 CLAMPING HANDLES



17 CLAMPING HANDLES



18 CLAMPING HANDLES




19 CLAMPING HANDLES





ERGOSTYLE® ELESa Original design

NUMBER OF TIGHTENINGS



ERX-B



Conversion Table	
1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



* Complete with colour index, example: 233061-C2 ERX.30 B-M3-C2

 C1 RAL7021
  C2 RAL2004
  C3 RAL7035
  C4 RAL1021
  C5 RAL5024
  C6 RAL3000
  C17 RAL6017

ERX-B

METRIC

Code	Description	R	d6H	L	D	H	H1	h	h1	h2	h3	d1	l1	Teeth no.	
233061-*	ERX.30 B-M3-*	30	M3	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
233066-*	ERX.30 B-M4-*	30	M4	37.5	15	30	33.5	10	29.5	6	23	12	9	18	8
233071-*	ERX.30 B-M5-*	30	M5	37.5	15	30	33.5	10	29.5	6	23	12	9	18	7
233076-*	ERX.30 B-M6-*	30	M6	37.5	15	30	33.5	10	29.5	6	23	12	9	18	6
233101-*	ERX.44 B-M5-*	44	M5	52	16	32.5	36	10	29.5	6	25	12	11	18	10
233106-*	ERX.44 B-M6-*	44	M6	52	16	32.5	36	10	29.5	6	25	12	11	18	10
233131-*	ERX.63 B-M6-*	63	M6	72.5	19	43	47	16	37.5	8	34.5	15	13.5	20	21
233136-*	ERX.63 B-M8-*	63	M8	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	20
233141-*	ERX.63 B-M10-*	63	M10	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	19
233151-*	ERX.78 B-M8-*	79	M8	91.5	24.5	54	58	20	47	12	44	19	16	24	46
233156-*	ERX.78 B-M10-*	79	M10	91.5	24.5	54	58	18	47	12	44	19	16	24	44
233161-*	ERX.78 B-M12-*	79	M12	91.5	24.5	54	58	17	47	12	44	19	16	24	43
233171-*	ERX.95 B-M10-*	95	M10	108	26	64.5	69	20	54.5	13	53	21.5	18	26	52
233176-*	ERX.95 B-M12-*	95	M12	108	26	64.5	69	20	54.5	13	53	21.5	18	26	51
233181-*	ERX.95 B-M14-*	95	M14	108	26	64.5	69	20	54.5	13	53	21.5	18	26	50
233211-*	ERX.108 B-M12-*	108	M12	123	30	65.5	70	20	54.5	11	52.5	25	20	28	60
233216-*	ERX.108 B-M14-*	108	M14	123	30	65.5	70	20	54.5	11	52.5	25	20	28	59
233221-*	ERX.108 B-M16-*	108	M16	123	30	65.5	70	22	54.5	11	52.5	25	20	28	58





* Complete with colour index, example: 233061-C2-C1 ERX.30-C2-B-M3-C1

 C2 RAL2004
  C3 RAL7035
  C4 RAL1021
  C5 RAL5024
  C6 RAL3000
  C17 RAL6017

ERX-B

METRIC

Code	Description	R	d6H	L	D	H	H1	h	h1	h2	h3	d1	l1	Teeth no.	
233061-*.C1	ERX.30-*.B-M3-C1	30	M3	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
233066-*.C1	ERX.30-*.B-M4-C1	30	M4	37.5	15	30	33.5	10	29.5	6	23	12	9	18	8
233071-*.C1	ERX.30-*.B-M5-C1	30	M5	37.5	15	30	33.5	10	29.5	6	23	12	9	18	7
233076-*.C1	ERX.30-*.B-M6-C1	30	M6	37.5	15	30	33.5	10	29.5	6	23	12	9	18	6
233101-*.C1	ERX.44-*.B-M5-C1	44	M5	52	16	32.5	36	10	29.5	6	25	12	11	18	10
233106-*.C1	ERX.44-*.B-M6-C1	44	M6	52	16	32.5	36	10	29.5	6	25	12	11	18	10
233131-*.C1	ERX.63-*.B-M6-C1	63	M6	72.5	19	43	47	16	37.5	8	34.5	15	13.5	20	21
233136-*.C1	ERX.63-*.B-M8-C1	63	M8	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	20
233141-*.C1	ERX.63-*.B-M10-C1	63	M10	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	19
233151-*.C1	ERX.78-*.B-M8-C1	79	M8	91.5	24.5	54	58	20	47	12	44	19	16	24	46
233156-*.C1	ERX.78-*.B-M10-C1	79	M10	91.5	24.5	54	58	18	47	12	44	19	16	24	44
233161-*.C1	ERX.78-*.B-M12-C1	79	M12	91.5	24.5	54	58	17	47	12	44	19	16	24	43
233171-*.C1	ERX.95-*.B-M10-C1	95	M10	108	26	64.5	69	20	54.5	13	53	21.5	18	26	52
233176-*.C1	ERX.95-*.B-M12-C1	95	M12	108	26	64.5	69	20	54.5	13	53	21.5	18	26	51
233181-*.C1	ERX.95-*.B-M14-C1	95	M14	108	26	64.5	69	20	54.5	13	53	21.5	18	26	50
233211-*.C1	ERX.108-*.B-M12-C1	108	M12	123	30	65.5	70	20	54.5	11	52.5	25	20	28	60
233216-*.C1	ERX.108-*.B-M14-C1	108	M14	123	30	65.5	70	20	54.5	11	52.5	25	20	28	59
233221-*.C1	ERX.108-*.B-M16-C1	108	M16	123	30	65.5	70	22	54.5	11	52.5	25	20	28	58



Conversion Table	
1 mm = 0,039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



*Complete with colour index, example: 235071-C2 ERX.30 SST-M5-C2

C1	C2	C3	C4	C5	C6	C17
RAL7021	RAL2004	RAL7035	RAL1021	RAL5024	RAL3000	RAL6017

ERX-SST

INOX STAINLESS STEEL METRIC

Code	Description	R	d6H	L	D	H	H1	h	h1	h2	h3	d1	l1	Teeth no.	
235069-*	ERX.30 SST-M3-*	30	M3	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
235070-*	ERX.30 SST-M4-*	30	M4	37.5	15	30	33.5	10	29.5	6	23	12	9	18	8
235071-*	ERX.30 SST-M5-*	30	M5	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
235076-*	ERX.30 SST-M6-*	30	M6	37.5	15	30	33.5	10	29.5	6	23	12	9	18	6
235101-*	ERX.44 SST-M5-*	44	M5	52	16	32.5	36	6	29.5	6	25	12	11	18	11
235106-*	ERX.44 SST-M6-*	44	M6	52	16	32.5	36	10	29.5	6	25	12	11	18	10
235131-*	ERX.63 SST-M6-*	63	M6	72.5	19	43	47	12	37.5	8	34.5	15	13.5	20	22
235136-*	ERX.63 SST-M8-*	63	M8	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	20
235151-*	ERX.78 SST-M8-*	79	M8	91.5	24.5	54	58	13	47	12	44	19	16	24	46
235156-*	ERX.78 SST-M10-*	79	M10	91.5	24.5	54	58	17	47	12	44	19	16	24	44
235176-*	ERX.95 SST-M12-*	95	M12	108	26	64.5	69	20	54.5	13	53	21.5	18	26	52
235191-*	ERX.108 SST-M12-*	108	M12	123	30	65.5	70	20	54.5	11	52.5	25	20	28	60



*Complete with colour index, example: 235071-C2-C1 ERX.30-C2-SST-M5-C1


C2	C3	C4	C5	C6	C17
RAL2004	RAL7035	RAL1021	RAL5024	RAL3000	RAL6017

ERX-SST

INOX STAINLESS STEEL METRIC

Code	Description	R	d6H	L	D	H	H1	h	h1	h2	h3	d1	l1	Teeth no.	
235069-*C1	ERX.30-*SST-M3-C1	30	M3	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
235070-*C1	ERX.30-*SST-M4-C1	30	M4	37.5	15	30	33.5	10	29.5	6	23	12	9	18	8
235071-*C1	ERX.30-*SST-M5-C1	30	M5	37.5	15	30	33.5	6	29.5	6	23	12	9	18	8
235076-*C1	ERX.30-*SST-M6-C1	30	M6	37.5	15	30	33.5	10	29.5	6	23	12	9	18	6
235101-*C1	ERX.44-*SST-M5-C1	44	M5	52	16	32.5	36	6	29.5	6	25	12	11	18	11
235106-*C1	ERX.44-*SST-M6-C1	44	M6	52	16	32.5	36	10	29.5	6	25	12	11	18	10
235131-*C1	ERX.63-*SST-M6-C1	63	M6	72.5	19	43	47	12	37.5	8	34.5	15	13.5	20	22
235136-*C1	ERX.63-*SST-M8-C1	63	M8	72.5	19	43	47	13	37.5	8	34.5	15	13.5	20	20
235151-*C1	ERX.78-*SST-M8-C1	79	M8	91.5	24.5	54	58	13	47	12	44	19	16	24	46
235156-*C1	ERX.78-*SST-M10-C1	79	M10	91.5	24.5	54	58	17	47	12	44	19	16	24	44
235176-*C1	ERX.95-*SST-M12-C1	95	M12	108	26	64.5	69	20	54.5	13	53	21.5	18	26	52
235191-*C1	ERX.108-*SST-M12-C1	108	M12	123	30	65.5	70	20	54.5	11	52.5	25	20	28	60

Conversion Table 1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



* Complete with colour index, example: 234001-C2 ERX.30 p-M5x10-C2


C1 C2 C3 C4 C5 C6 C17
 RAL7021 RAL2004 RAL7035 RAL1021 RAL5024 RAL3000 RAL6017

ERX-p

METRIC

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	Δ
234001-*	ERX.30 p-M5x10-*	30	M5	37.5	15	30	33.5	29.5	6	23	12	10	9	18	6
234006-*	ERX.30 p-M5x16-*	30	M5	37.5	15	30	33.5	29.5	6	23	12	16	9	18	6
234011-*	ERX.30 p-M5x20-*	30	M5	37.5	15	30	33.5	29.5	6	23	12	20	9	18	7
234016-*	ERX.30 p-M6x10-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	10	9	18	8
234021-*	ERX.30 p-M6x16-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	16	9	18	9
234026-*	ERX.30 p-M6x20-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	20	9	18	10
234031-*	ERX.30 p-M6x25-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	25	9	18	11
234036-*	ERX.30 p-M6x30-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	30	9	18	12
234046-*	ERX.30 p-M6x40-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	40	9	18	14
234101-*	ERX.44 p-M5x10-*	44	M5	52	16	32.5	36	29.5	6	25	12	10	11	18	11
234106-*	ERX.44 p-M5x16-*	44	M5	52	16	32.5	36	29.5	6	25	12	16	11	18	12
234111-*	ERX.44 p-M5x20-*	44	M5	52	16	32.5	36	29.5	6	25	12	20	11	18	13
234116-*	ERX.44 p-M6x10-*	44	M6	52	16	32.5	36	29.5	6	25	12	10	11	18	13
234121-*	ERX.44 p-M6x16-*	44	M6	52	16	32.5	36	29.5	6	25	12	16	11	18	14
234126-*	ERX.44 p-M6x20-*	44	M6	52	16	32.5	36	29.5	6	25	12	20	11	18	15
234131-*	ERX.44 p-M6x25-*	44	M6	52	16	32.5	36	29.5	6	25	12	25	11	18	16
234136-*	ERX.44 p-M6x30-*	44	M6	52	16	32.5	36	29.5	6	25	12	30	11	18	17
234141-*	ERX.44 p-M6x35-*	44	M6	52	16	32.5	36	29.5	6	25	12	35	11	18	18
234146-*	ERX.44 p-M6x40-*	44	M6	52	16	32.5	36	29.5	6	25	12	40	11	18	19
234151-*	ERX.44 p-M6x45-*	44	M6	52	16	32.5	36	29.5	6	25	12	45	11	18	20
234159-*	ERX.44 p-M8x16-*	44	M8	52	16	32.5	36	29.5	6	25	12	16	11	18	17
234161-*	ERX.44 p-M8x20-*	44	M8	52	16	32.5	36	29.5	6	25	12	20	11	18	18
234163-*	ERX.44 p-M8x25-*	44	M8	52	16	32.5	36	29.5	6	25	12	25	11	18	19
234301-*	ERX.63 p-M6x10-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	10	13.5	20	28
234306-*	ERX.63 p-M6x16-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	29
234311-*	ERX.63 p-M6x20-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	30
234316-*	ERX.63 p-M6x25-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	31
234321-*	ERX.63 p-M6x30-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	32
234323-*	ERX.63 p-M6x35-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	32
234326-*	ERX.63 p-M6x40-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	32
234329-*	ERX.63 p-M6x50-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	32
234333-*	ERX.63 p-M8x16-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	32
234336-*	ERX.63 p-M8x20-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	32
234341-*	ERX.63 p-M8x25-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	34
234346-*	ERX.63 p-M8x30-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	36
234351-*	ERX.63 p-M8x35-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	38
234356-*	ERX.63 p-M8x40-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	40
234361-*	ERX.63 p-M8x45-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	45	13.5	20	41
234366-*	ERX.63 p-M8x50-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	43
234371-*	ERX.63 p-M8x60-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	46
234376-*	ERX.63 p-M8x70-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	70	13.5	20	50
234378-*	ERX.63 p-M8x80-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	80	13.5	20	50
234381-*	ERX.63 p-M10x20-*	63	M10	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	40
234382-*	ERX.63 p-M10x30-*	63	M10	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	43
234383-*	ERX.63 p-M10x40-*	63	M10	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	46
234385-*	ERX.63 p-M10x50-*	63	M10	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	50
234387-*	ERX.63 p-M10x60-*	63	M10	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	54





Conversion Table	
1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



* Complete with colour index, example: 234498-C2 ERX.78 p-M8x20-C2

 C1 RAL7021

 C2 RAL2004

 C3 RAL7035

 C4 RAL1021

 C5 RAL5024

 C6 RAL3000

 C17 RAL6017


METRIC

ERX-p



Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	
234498.*	ERX.78 p-M8x20-*	79	M8	91.5	24.5	54	58	47	12	44	19	20	16	24	42
234501.*	ERX.78 p-M8x25-*	79	M8	91.5	24.5	54	58	47	12	44	19	25	16	24	43
234503.*	ERX.78 p-M8x30-*	79	M8	91.5	24.5	54	58	47	12	44	19	30	16	24	44
234506.*	ERX.78 p-M8x40-*	79	M8	91.5	24.5	54	58	47	12	44	19	40	16	24	48
234507.*	ERX.78 p-M8x45-*	79	M8	91.5	24.5	54	58	47	12	44	19	45	16	24	50
234509.*	ERX.78 p-M8x50-*	79	M8	91.5	24.5	54	58	47	12	44	19	50	16	24	52
234511.*	ERX.78 p-M8x55-*	79	M8	91.5	24.5	54	58	47	12	44	19	55	16	24	55
234513.*	ERX.78 p-M8x60-*	79	M8	91.5	24.5	54	58	47	12	44	19	60	16	24	57
234515.*	ERX.78 p-M8x70-*	79	M8	91.5	24.5	54	58	47	12	44	19	70	16	24	60
234516.*	ERX.78 p-M10x20-*	79	M10	91.5	24.5	54	58	47	12	44	19	20	16	24	58
234521.*	ERX.78 p-M10x25-*	79	M10	91.5	24.5	54	58	47	12	44	19	25	16	24	61
234526.*	ERX.78 p-M10x30-*	79	M10	91.5	24.5	54	58	47	12	44	19	30	16	24	64
234531.*	ERX.78 p-M10x35-*	79	M10	91.5	24.5	54	58	47	12	44	19	35	16	24	67
234536.*	ERX.78 p-M10x40-*	79	M10	91.5	24.5	54	58	47	12	44	19	40	16	24	70
234541.*	ERX.78 p-M10x50-*	79	M10	91.5	24.5	54	58	47	12	44	19	50	16	24	76
234546.*	ERX.78 p-M10x60-*	79	M10	91.5	24.5	54	58	47	12	44	19	60	16	24	82
234551.*	ERX.78 p-M10x70-*	79	M10	91.5	24.5	54	58	47	12	44	19	70	16	24	88
234561.*	ERX.78 p-M12x20-*	79	M12	91.5	24.5	54	58	47	12	44	19	20	16	24	70
234566.*	ERX.78 p-M12x25-*	79	M12	91.5	24.5	54	58	47	12	44	19	25	16	24	71
234571.*	ERX.78 p-M12x30-*	79	M12	91.5	24.5	54	58	47	12	44	19	30	16	24	74
234573.*	ERX.78 p-M12x35-*	79	M12	91.5	24.5	54	58	47	12	44	19	35	16	24	75
234576.*	ERX.78 p-M12x40-*	79	M12	91.5	24.5	54	58	47	12	44	19	40	16	24	76
234581.*	ERX.78 p-M12x45-*	79	M12	91.5	24.5	54	58	47	12	44	19	45	16	24	77
234586.*	ERX.78 p-M12x50-*	79	M12	91.5	24.5	54	58	47	12	44	19	50	16	24	79
234591.*	ERX.78 p-M12x60-*	79	M12	91.5	24.5	54	58	47	12	44	19	60	16	24	81
234593.*	ERX.78 p-M12x70-*	79	M12	91.5	24.5	54	58	47	12	44	19	70	16	24	84
234596.*	ERX.78 p-M12x80-*	79	M12	91.5	24.5	54	58	47	12	44	19	80	16	24	86
234716.*	ERX.95 p-M12x20-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	20	18	26	86
234726.*	ERX.95 p-M12x30-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	30	18	26	86
234741.*	ERX.95 p-M12x50-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	50	18	26	90
234751.*	ERX.95 p-M12x70-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	70	18	26	94
234901.*	ERX.95 p-M16x30-*	95	M16	108	26	64.5	69	54.5	13	53	21.5	30	18	26	104
234911.*	ERX.95 p-M16x50-*	95	M16	108	26	64.5	69	54.5	13	53	21.5	50	18	26	110
234921.*	ERX.95 p-M16x70-*	95	M16	108	26	64.5	69	54.5	13	53	21.5	70	18	26	116
234996.*	ERX.108 p-M12x20-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	20	20	28	70
235001.*	ERX.108 p-M12x30-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	30	20	28	70
235006.*	ERX.108 p-M12x50-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	50	20	28	75
235011.*	ERX.108 p-M12x70-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	70	20	28	80
235016.*	ERX.108 p-M14x30-*	108	M14	123	30	65.5	70	54.5	11	52.5	25	30	20	28	86
235021.*	ERX.108 p-M14x50-*	108	M14	123	30	65.5	70	54.5	11	52.5	25	50	20	28	90
235026.*	ERX.108 p-M14x70-*	108	M14	123	30	65.5	70	54.5	11	52.5	25	70	20	28	95
235036.*	ERX.108 p-M16x30-*	108	M16	123	30	65.5	70	54.5	11	52.5	25	30	20	28	100
235041.*	ERX.108 p-M16x50-*	108	M16	123	30	65.5	70	54.5	11	52.5	25	50	20	28	105
235046.*	ERX.108 p-M16x70-*	108	M16	123	30	65.5	70	54.5	11	52.5	25	70	20	28	110

Clamping handles

Conversion Table 1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



ERX-p



* Complete with colour index, example: 234001-C2-C1 ERX.30-C2-p-M5x10-C1

C2
RAL2004

C3
RAL7035

C4
RAL1021

C5
RAL5024

C6
RAL3000


C17
RAL6017

METRIC


ERX-p

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	⚙
234001*-C1	ERX.30*-p-M5x10-C1	30	M5	37.5	15	30	33.5	29.5	6	23	12	10	9	18	6
234006*-C1	ERX.30*-p-M5x16-C1	30	M5	37.5	15	30	33.5	29.5	6	23	12	16	9	18	6
234011*-C1	ERX.30*-p-M5x20-C1	30	M5	37.5	15	30	33.5	29.5	6	23	12	20	9	18	7
234016*-C1	ERX.30*-p-M6x10-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	10	9	18	8
234021*-C1	ERX.30*-p-M6x16-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	16	9	18	9
234026*-C1	ERX.30*-p-M6x20-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	20	9	18	10
234031*-C1	ERX.30*-p-M6x25-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	25	9	18	11
234036*-C1	ERX.30*-p-M6x30-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	30	9	18	12
234046*-C1	ERX.30*-p-M6x40-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	40	9	18	14
234101*-C1	ERX.44*-p-M5x10-C1	44	M5	52	16	32.5	36	29.5	6	25	12	10	11	18	11
234106*-C1	ERX.44*-p-M5x16-C1	44	M5	52	16	32.5	36	29.5	6	25	12	16	11	18	12
234111*-C1	ERX.44*-p-M5x20-C1	44	M5	52	16	32.5	36	29.5	6	25	12	20	11	18	13
234116*-C1	ERX.44*-p-M6x10-C1	44	M6	52	16	32.5	36	29.5	6	25	12	10	11	18	13
234121*-C1	ERX.44*-p-M6x16-C1	44	M6	52	16	32.5	36	29.5	6	25	12	16	11	18	14
234126*-C1	ERX.44*-p-M6x20-C1	44	M6	52	16	32.5	36	29.5	6	25	12	20	11	18	15
234131*-C1	ERX.44*-p-M6x25-C1	44	M6	52	16	32.5	36	29.5	6	25	12	25	11	18	16
234136*-C1	ERX.44*-p-M6x30-C1	44	M6	52	16	32.5	36	29.5	6	25	12	30	11	18	17
234141*-C1	ERX.44*-p-M6x35-C1	44	M6	52	16	32.5	36	29.5	6	25	12	35	11	18	18
234146*-C1	ERX.44*-p-M6x40-C1	44	M6	52	16	32.5	36	29.5	6	25	12	40	11	18	19
234151*-C1	ERX.44*-p-M6x45-C1	44	M6	52	16	32.5	36	29.5	6	25	12	45	11	18	20
234159*-C1	ERX.44*-p-M8x16-C1	44	M8	52	16	32.5	36	29.5	6	25	12	16	11	18	17
234161*-C1	ERX.44*-p-M8x20-C1	44	M8	52	16	32.5	36	29.5	6	25	12	20	11	18	18
234163*-C1	ERX.44*-p-M8x25-C1	44	M8	52	16	32.5	36	29.5	6	25	12	25	11	18	19
234301*-C1	ERX.63*-p-M6x10-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	10	13.5	20	28
234306*-C1	ERX.63*-p-M6x16-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	29
234311*-C1	ERX.63*-p-M6x20-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	30
234316*-C1	ERX.63*-p-M6x25-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	31
234321*-C1	ERX.63*-p-M6x30-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	32
234323*-C1	ERX.63*-p-M6x35-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	32
234326*-C1	ERX.63*-p-M6x40-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	32
234329*-C1	ERX.63*-p-M6x50-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	32
234333*-C1	ERX.63*-p-M8x16-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	32
234336*-C1	ERX.63*-p-M8x20-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	32
234341*-C1	ERX.63*-p-M8x25-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	34
234346*-C1	ERX.63*-p-M8x30-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	36
234351*-C1	ERX.63*-p-M8x35-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	38
234356*-C1	ERX.63*-p-M8x40-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	40
234361*-C1	ERX.63*-p-M8x45-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	45	13.5	20	41
234366*-C1	ERX.63*-p-M8x50-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	43
234371*-C1	ERX.63*-p-M8x60-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	46
234376*-C1	ERX.63*-p-M8x70-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	70	13.5	20	50
234378*-C1	ERX.63*-p-M8x80-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	80	13.5	20	50
234381*-C1	ERX.63*-p-M10x2-C1	63	M10	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	40
234382*-C1	ERX.63*-p-M10x3-C1	63	M10	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	43
234383*-C1	ERX.63*-p-M10x4-C1	63	M10	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	46
234385*-C1	ERX.63*-p-M10x5-C1	63	M10	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	50
234387*-C1	ERX.63*-p-M10x6-C1	63	M10	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	54





Conversion Table	
1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



* Complete with colour index, example: 234498-C2-C1 ERX.78-C2-p-M8x20-C1

RAL2004 C2 RAL7035 C3 RAL1021 C4 RAL5024 C5 RAL3000 C6 RAL6017 C17

METRIC

ERX-p

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	I	I1	Teeth no.	
234498*-C1	ERX.78*-p-M8x20-C1	79	M8	91.5	24.5	54	58	47	12	44	19	20	16	24	42
234501*-C1	ERX.78*-p-M8x25-C1	79	M8	91.5	24.5	54	58	47	12	44	19	25	16	24	43
234503*-C1	ERX.78*-p-M8x30-C1	79	M8	91.5	24.5	54	58	47	12	44	19	30	16	24	44
234506*-C1	ERX.78*-p-M8x40-C1	79	M8	91.5	24.5	54	58	47	12	44	19	40	16	24	48
234507*-C1	ERX.78*-p-M8x45-C1	79	M8	91.5	24.5	54	58	47	12	44	19	45	16	24	50
234509*-C1	ERX.78*-p-M8x50-C1	79	M8	91.5	24.5	54	58	47	12	44	19	50	16	24	52
234511*-C1	ERX.78*-p-M8x55-C1	79	M8	91.5	24.5	54	58	47	12	44	19	55	16	24	55
234513*-C1	ERX.78*-p-M8x60-C1	79	M8	91.5	24.5	54	58	47	12	44	19	60	16	24	57
234515*-C1	ERX.78*-p-M8x70-C1	79	M8	91.5	24.5	54	58	47	12	44	19	70	16	24	60
234516*-C1	ERX.78*-p-M10x20-C1	79	M10	91.5	24.5	54	58	47	12	44	19	20	16	24	58
234521*-C1	ERX.78*-p-M10x25-C1	79	M10	91.5	24.5	54	58	47	12	44	19	25	16	24	61
234526*-C1	ERX.78*-p-M10x30-C1	79	M10	91.5	24.5	54	58	47	12	44	19	30	16	24	64
234531*-C1	ERX.78*-p-M10x35-C1	79	M10	91.5	24.5	54	58	47	12	44	19	35	16	24	67
234536*-C1	ERX.78*-p-M10x40-C1	79	M10	91.5	24.5	54	58	47	12	44	19	40	16	24	70
234541*-C1	ERX.78*-p-M10x50-C1	79	M10	91.5	24.5	54	58	47	12	44	19	50	16	24	76
234546*-C1	ERX.78*-p-M10x60-C1	79	M10	91.5	24.5	54	58	47	12	44	19	60	16	24	82
234551*-C1	ERX.78*-p-M10x70-C1	79	M10	91.5	24.5	54	58	47	12	44	19	70	16	24	88
234561*-C1	ERX.78*-p-M12x20-C1	79	M12	91.5	24.5	54	58	47	12	44	19	20	16	24	70
234566*-C1	ERX.78*-p-M12x25-C1	79	M12	91.5	24.5	54	58	47	12	44	19	25	16	24	71
234571*-C1	ERX.78*-p-M12x30-C1	79	M12	91.5	24.5	54	58	47	12	44	19	30	16	24	74
234573*-C1	ERX.78*-p-M12x35-C1	79	M12	91.5	24.5	54	58	47	12	44	19	35	16	24	75
234576*-C1	ERX.78*-p-M12x40-C1	79	M12	91.5	24.5	54	58	47	12	44	19	40	16	24	76
234581*-C1	ERX.78*-p-M12x45-C1	79	M12	91.5	24.5	54	58	47	12	44	19	45	16	24	77
234586*-C1	ERX.78*-p-M12x50-C1	79	M12	91.5	24.5	54	58	47	12	44	19	50	16	24	79
234591*-C1	ERX.78*-p-M12x60-C1	79	M12	91.5	24.5	54	58	47	12	44	19	60	16	24	81
234593*-C1	ERX.78*-p-M12x70-C1	79	M12	91.5	24.5	54	58	47	12	44	19	70	16	24	84
234596*-C1	ERX.78*-p-M12x80-C1	79	M12	91.5	24.5	54	58	47	12	44	19	80	16	24	86
234716*-C1	ERX.95*-p-M12x20-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	20	18	26	86
234726*-C1	ERX.95*-p-M12x30-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	30	18	26	86
234741*-C1	ERX.95*-p-M12x50-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	50	18	26	90
234751*-C1	ERX.95*-p-M12x70-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	70	18	26	94
234901*-C1	ERX.95*-p-M16x30-C1	95	M16	108	26	64.5	69	54.5	13	53	21.5	30	18	26	104
234911*-C1	ERX.95*-p-M16x50-C1	95	M16	108	26	64.5	69	54.5	13	53	21.5	50	18	26	110
234921*-C1	ERX.95*-p-M16x70-C1	95	M16	108	26	64.5	69	54.5	13	53	21.5	70	18	26	116
234996*-C1	ERX.108*-p-M12x20-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	20	20	28	70
235001*-C1	ERX.108*-p-M12x30-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	30	20	28	70
235006*-C1	ERX.108*-p-M12x50-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	50	20	28	75
235011*-C1	ERX.108*-p-M12x70-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	70	20	28	80
235016*-C1	ERX.108*-p-M14x30-C1	108	M14	123	30	65.5	70	54.5	11	52.5	25	30	20	28	86
235021*-C1	ERX.108*-p-M14x50-C1	108	M14	123	30	65.5	70	54.5	11	52.5	25	50	20	28	90
235026*-C1	ERX.108*-p-M14x70-C1	108	M14	123	30	65.5	70	54.5	11	52.5	25	70	20	28	95
235036*-C1	ERX.108*-p-M16x30-C1	108	M16	123	30	65.5	70	54.5	11	52.5	25	30	20	28	100
235041*-C1	ERX.108*-p-M16x50-C1	108	M16	123	30	65.5	70	54.5	11	52.5	25	50	20	28	105
235046*-C1	ERX.108*-p-M16x70-C1	108	M16	123	30	65.5	70	54.5	11	52.5	25	70	20	28	110



* Complete with colour index, example: 235061-C2 ERX.30-SST-p M5x10-C2



 C1 RAL7021
  C2 RAL2004
  C3 RAL7035
  C4 RAL1021
  C5 RAL5024
  C6 RAL3000
  C17 RAL6017

ERX-SST-p

INOX STAINLESS STEEL METRIC

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	⚙
235061-*	ERX.30-SST-p M5x10-*	30	M5	37.5	15	30	33.5	29.5	6	23	12	10	9	18	6
235066-*	ERX.30-SST-p M5x16-*	30	M5	37.5	15	30	33.5	29.5	6	23	12	16	9	18	7
235196-*	ERX.30-SST-p M6x10-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	10	9	18	8
235201-*	ERX.30-SST-p-M6x16-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	16	9	18	9
235203-*	ERX.30-SST-p-M6x20-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	20	9	18	10
235205-*	ERX.30-SST-p-M6x25-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	25	9	18	11
235207-*	ERX.30-SST-p-M6x30-*	30	M6	37.5	15	30	33.5	29.5	6	23	12	30	9	18	12
235209-*	ERX.44-SST-p-M5x10-*	44	M5	52	16	32.5	36	29.5	6	25	12	10	11	18	10
235211-*	ERX.44-SST-p-M5x16-*	44	M5	52	16	32.5	36	29.5	6	25	12	16	11	18	12
235216-*	ERX.44-SST-p-M6x10-*	44	M6	52	16	32.5	36	29.5	6	25	12	10	11	18	13
235221-*	ERX.44-SST-p-M6x16-*	44	M6	52	16	32.5	36	29.5	6	25	12	16	11	18	14
235226-*	ERX.44-SST-p-M6x20-*	44	M6	52	16	32.5	36	29.5	6	25	12	20	11	18	16
235231-*	ERX.44-SST-p-M6x25-*	44	M6	52	16	32.5	36	29.5	6	25	12	25	11	18	17
235236-*	ERX.44-SST-p-M6x30-*	44	M6	52	16	32.5	36	29.5	6	25	12	30	11	18	18
235341-*	ERX.63-SST-p-M6x10-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	10	13.5	20	30
235351-*	ERX.63-SST-p-M6x20-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	31
235421-*	ERX.63-SST-p-M6x30-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	32
235426-*	ERX.63-SST-p-M6x40-*	63	M6	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	33
235431-*	ERX.63-SST-p-M8x16-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	31
235436-*	ERX.63-SST-p-M8x20-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	32
235441-*	ERX.63-SST-p-M8x25-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	33
235446-*	ERX.63-SST-p-M8x30-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	37
235451-*	ERX.63-SST-p-M8x35-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	38
235456-*	ERX.63-SST-p-M8x40-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	41
235461-*	ERX.63-SST-p-M8x45-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	45	13.5	20	42
235466-*	ERX.63-SST-p-M8x50-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	44
235471-*	ERX.63-SST-p-M8x60-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	47
235476-*	ERX.63-SST-p-M8x70-*	63	M8	72.5	19	43	47	37.5	8	34.5	15	70	13.5	20	52
235601-*	ERX.78-SST-p-M8x20-*	79	M8	91.5	24.5	54	58	47	12	44	19	20	16	24	43
235603-*	ERX.78-SST-p-M8x25-*	79	M8	91.5	24.5	54	58	47	12	44	19	25	16	24	44
235605-*	ERX.78-SST-p-M8x30-*	79	M8	91.5	24.5	54	58	47	12	44	19	30	16	24	45
235607-*	ERX.78-SST-p-M8x40-*	79	M8	91.5	24.5	54	58	47	12	44	19	40	16	24	50
235609-*	ERX.78-SST-p-M8x45-*	79	M8	91.5	24.5	54	58	47	12	44	19	45	16	24	52
235611-*	ERX.78-SST-p-M8x50-*	79	M8	91.5	24.5	54	58	47	12	44	19	50	16	24	54
235617-*	ERX.78-SST-p-M8x70-*	79	M8	91.5	24.5	54	58	47	12	44	19	70	16	24	62
235618-*	ERX.78-SST-p-M8x80-*	79	M8	91.5	24.5	54	58	47	12	44	19	80	16	24	64
235716-*	ERX.78-SST-p-M10x20-*	79	M10	91.5	24.5	54	58	47	12	44	19	20	16	24	58
235726-*	ERX.78-SST-p-M10x30-*	79	M10	91.5	24.5	54	58	47	12	44	19	30	16	24	64
235731-*	ERX.78-SST-p-M10x35-*	79	M10	91.5	24.5	54	58	47	12	44	19	35	16	24	66
235736-*	ERX.78-SST-p-M10x40-*	79	M10	91.5	24.5	54	58	47	12	44	19	40	16	24	67
235741-*	ERX.78-SST-p-M10x50-*	79	M10	91.5	24.5	54	58	47	12	44	19	50	16	24	68
235746-*	ERX.78-SST-p-M10x60-*	79	M10	91.5	24.5	54	58	47	12	44	19	60	16	24	70
235771-*	ERX.78-SST-p-M12x30-*	79	M12	91.5	24.5	54	58	47	12	44	19	30	16	24	74
235773-*	ERX.78-SST-p-M12x35-*	79	M12	91.5	24.5	54	58	47	12	44	19	35	16	24	76
235781-*	ERX.78-SST-p-M12x40-*	79	M12	91.5	24.5	54	58	47	12	44	19	40	16	24	77
235786-*	ERX.78-SST-p-M12x50-*	79	M12	91.5	24.5	54	58	47	12	44	19	50	16	24	79
235893-*	ERX.78-SST-p-M12x70-*	79	M12	91.5	24.5	54	58	47	12	44	19	70	16	24	82
235901-*	ERX.95-SST-p-M12x30-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	30	18	26	87
235911-*	ERX.95-SST-p-M12x40-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	40	18	26	90
235921-*	ERX.95-SST-p-M12x50-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	50	18	26	93
235941-*	ERX.95-SST-p-M12x70-*	95	M12	108	26	64.5	69	54.5	13	53	21.5	70	18	26	98
236001-*	ERX.108-SST-p-M12x30-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	30	20	28	70
236003-*	ERX.108-SST-p-M12x40-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	40	20	28	73
236006-*	ERX.108-SST-p-M12x50-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	50	20	28	75
236011-*	ERX.108-SST-p-M12x70-*	108	M12	123	30	65.5	70	54.5	11	52.5	25	70	20	28	80





Conversion Table
1 mm = 0.039 inch

R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25

ERX-SST-p

INOX STAINLESS STEEL METRIC

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	
235061*-C1	ERX.30*-SST-p M5x10-C1	30	M5	37.5	15	30	33.5	29.5	6	23	12	10	9	18	6
235066*-C1	ERX.30*-SST-p M5x16-C1	30	M5	37.5	15	30	33.5	29.5	6	23	12	16	9	18	7
235196*-C1	ERX.30*-SST-p M6x10-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	10	9	18	8
235201*-C1	ERX.30*-SST-p-M6x16-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	16	9	18	9
235203*-C1	ERX.30*-SST-p-M6x20-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	20	9	18	10
235205*-C1	ERX.30*-SST-p-M6x25-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	25	9	18	11
235207*-C1	ERX.30*-SST-p-M6x30-C1	30	M6	37.5	15	30	33.5	29.5	6	23	12	30	9	18	12
235209*-C1	ERX.44*-SST-p-M5x10-C1	44	M5	52	16	32.5	36	29.5	6	25	12	10	11	18	10
235211*-C1	ERX.44*-SST-p-M5x16-C1	44	M5	52	16	32.5	36	29.5	6	25	12	16	11	18	12
235216*-C1	ERX.44*-SST-p-M6x10-C1	44	M6	52	16	32.5	36	29.5	6	25	12	10	11	18	13
235221*-C1	ERX.44*-SST-p-M6x16-C1	44	M6	52	16	32.5	36	29.5	6	25	12	16	11	18	14
235226*-C1	ERX.44*-SST-p-M6x20-C1	44	M6	52	16	32.5	36	29.5	6	25	12	20	11	18	16
235231*-C1	ERX.44*-SST-p-M6x25-C1	44	M6	52	16	32.5	36	29.5	6	25	12	25	11	18	17
235236*-C1	ERX.44*-SST-p-M6x30-C1	44	M6	52	16	32.5	36	29.5	6	25	12	30	11	18	18
235341*-C1	ERX.63*-SST-p-M6x10-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	10	13.5	20	30
235351*-C1	ERX.63*-SST-p-M6x20-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	31
235421*-C1	ERX.63*-SST-p-M6x30-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	32
235426*-C1	ERX.63*-SST-p-M6x40-C1	63	M6	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	33
235431*-C1	ERX.63*-SST-p-M8x16-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	16	13.5	20	31
235436*-C1	ERX.63*-SST-p-M8x20-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	20	13.5	20	32
235441*-C1	ERX.63*-SST-p-M8x25-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	25	13.5	20	33
235446*-C1	ERX.63*-SST-p-M8x30-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	30	13.5	20	37
235451*-C1	ERX.63*-SST-p-M8x35-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	35	13.5	20	38
235456*-C1	ERX.63*-SST-p-M8x40-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	40	13.5	20	41
235461*-C1	ERX.63*-SST-p-M8x45-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	45	13.5	20	42
235466*-C1	ERX.63*-SST-p-M8x50-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	50	13.5	20	44
235471*-C1	ERX.63*-SST-p-M8x60-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	60	13.5	20	47
235476*-C1	ERX.63*-SST-p-M8x70-C1	63	M8	72.5	19	43	47	37.5	8	34.5	15	70	13.5	20	52

Conversion Table	
1 mm = 0.039 inch	
R	
mm	inch
30	1.18
44	1.73
63	2.48
79	3.11
95	3.74
108	4.25



* Complete with colour index, example: 235341-C2-C1 ERX.63-C2 SST-p-M6x10-C1

C2	C3	C4	C5	C6	C17
RAL2004	RAL7035	RAL1021	RAL5024	RAL3000	RAL6017

ERX-SST-p

INOX STAINLESS STEEL **METRIC**

Code	Description	R	d6g	L	D	H	H1	h1	h2	h3	d1	l	l1	Teeth no.	⚖
235601-*-C1	ERX.78-*-SST-p-M8x20-C1	79	M8	91.5	24.5	54	58	47	12	44	19	20	16	24	43
235603-*-C1	ERX.78-*-SST-p-M8x25-C1	79	M8	91.5	24.5	54	58	47	12	44	19	25	16	24	44
235605-*-C1	ERX.78-*-SST-p-M8x30-C1	79	M8	91.5	24.5	54	58	47	12	44	19	30	16	24	45
235607-*-C1	ERX.78-*-SST-p-M8x40-C1	79	M8	91.5	24.5	54	58	47	12	44	19	40	16	24	50
235609-*-C1	ERX.78-*-SST-p-M8x45-C1	79	M8	91.5	24.5	54	58	47	12	44	19	45	16	24	52
235611-*-C1	ERX.78-*-SST-p-M8x50-C1	79	M8	91.5	24.5	54	58	47	12	44	19	50	16	24	54
235617-*-C1	ERX.78-*-SST-p-M8x70-C1	79	M8	91.5	24.5	54	58	47	12	44	19	70	16	24	62
235618-*-C1	ERX.78-*-SST-p-M8x80-C1	79	M8	91.5	24.5	54	58	47	12	44	19	80	16	24	64
235716-*-C1	ERX.78-*-SST-p-M10x20-C1	79	M10	91.5	24.5	54	58	47	12	44	19	20	16	24	58
235726-*-C1	ERX.78-*-SST-p-M10x30-C1	79	M10	91.5	24.5	54	58	47	12	44	19	30	16	24	64
235731-*-C1	ERX.78-*-SST-p-M10x35-C1	79	M10	91.5	24.5	54	58	47	12	44	19	35	16	24	66
235736-*-C1	ERX.78-*-SST-p-M10x40-C1	79	M10	91.5	24.5	54	58	47	12	44	19	40	16	24	67
235741-*-C1	ERX.78-*-SST-p-M10x50-C1	79	M10	91.5	24.5	54	58	47	12	44	19	50	16	24	68
235746-*-C1	ERX.78-*-SST-p-M10x60-C1	79	M10	91.5	24.5	54	58	47	12	44	19	60	16	24	70
235771-*-C1	ERX.78-*-SST-p-M12x30-C1	79	M12	91.5	24.5	54	58	47	12	44	19	30	16	24	74
235773-*-C1	ERX.78-*-SST-p-M12x35-C1	79	M12	91.5	24.5	54	58	47	12	44	19	35	16	24	76
235781-*-C1	ERX.78-*-SST-p-M12x40-C1	79	M12	91.5	24.5	54	58	47	12	44	19	40	16	24	77
235786-*-C1	ERX.78-*-SST-p-M12x50-C1	79	M12	91.5	24.5	54	58	47	12	44	19	50	16	24	79
235893-*-C1	ERX.78-*-SST-p-M12x70-C1	79	M12	91.5	24.5	54	58	47	12	44	19	70	16	24	82
235901-*-C1	ERX.95-*-SST-p-M12x30-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	30	18	26	87
235911-*-C1	ERX.95-*-SST-p-M12x40-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	40	18	26	90
235921-*-C1	ERX.95-*-SST-p-M12x50-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	50	18	26	93
235941-*-C1	ERX.95-*-SST-p-M12x70-C1	95	M12	108	26	64.5	69	54.5	13	53	21.5	70	18	26	98
236001-*-C1	ERX.108-*-SST-p-M12x30-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	30	20	28	70
236003-*-C1	ERX.108-*-SST-p-M12x40-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	40	20	28	73
236006-*-C1	ERX.108-*-SST-p-M12x50-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	50	20	28	75
236011-*-C1	ERX.108-*-SST-p-M12x70-C1	108	M12	123	30	65.5	70	54.5	11	52.5	25	70	20	28	80

