

Specifications

Eaton PV-2A10-T

Eaton Bussmann series photovoltaic fuses, 1000 Vdc, 2A, 50 kAIC, Non Indicating, IEC 60269-6 type A, Class gPV, Time constant: 1-3 ms, Bolt

General specifications

PRODUCT NAME	Eaton Bussmann series photovoltaic fuses
CATALOG NUMBER	PV-2A10-T
UPC	051712294157
EAN	5027590505963
PRODUCT LENGTH/DEPTH	62 mm
PRODUCT HEIGHT	25 mm
PRODUCT WIDTH	52 mm
PRODUCT WEIGHT	11.8 g
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant CE Marked
CERTIFICATIONS	IEC Rated CSA Certified UL Listed CCC
PRODUCT TYPE	High speed photovoltaic fuse



Powering Business Worldwide

Electrical rating

AMPERAGE RATING	2 A
VOLTAGE RATING	1000 Vdc
INTERRUPT RATING	50 kAIC
CLASS	Class gPV
PRE ARC (I2T)	1.2
WATT LOSSES	1 W

Compatible fuse holder

SUITABLE FOR	CHPV Modular fuse holder
---------------------	--------------------------

Product specifications

APPLICATION	Photovoltaic strings
FUSE TYPE	PV-A10-T
FUSE INDICATOR	Other
FUSE SIZE	10 x 38 mm
FITTED WITH:	Bolt fixing
QUANTITY	10

Resources

	eaton-bussmann-series-photovoltaic-fuses-catalogue-ca135004en.pdf
CATALOGS	eaton-bussmann-series-dc-fuses-catalog-ca135009en-us.pdf Bussmann series complete full line catalog no. 1007
DECLARATIONS OF CONFORMITY	eaton-high-speed-photovoltaic-fuse-declaration-of-conformity-uk250925en.pdf eaton-high-speed-photovoltaic-fuse-declaration-of-conformity-eu250047en.pdf
MCAD MODEL	eaton-solar-fuses-mcad-3d-models-pv-1-20a-10-t.stp
MULTIMEDIA	Eaton Bussmann - Products for sustainable energy
TECHNICAL DATA SHEETS	720110 10x38 mm PV fuses eaton-bussmann-series-10x38mm-photovoltaic-fuses-datasheet-720110en-us.pdf

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

