

Eaton HKD3300

Catalog Number: HKD3300

Eaton Series C complete molded case circuit breaker, K-frame, HKD, Fixed thermal, Fixed magnetic trip, Three-pole, 300 A, 600 Vac, 250 Vdc, 100 kAIC at 240 Vac, 65 kAIC at 480 Vac, Aluminum, Line and load, 50/60 Hz



General specifications

Product Name	Catalog Number
Eaton Series C complete molded case circuit breaker	HKD3300
	UPC
	786679319369
Product Length/Depth	Product Height
4.1 in	5.5 in
Product Width	Product Weight
5.5 in	11.5 lb
Warranty	Certifications
Eaton Selling Policy 25-000, one (1) year UL Listed from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	

Product specifications

Interrupt rating

65 kAIC at 480 Vac
100 kAIC at 240 Vac

Frame

K

Amperage Rating

300 A

Number of poles

Three-pole

Series

Series C

Type

Complete breaker

Circuit breaker type

HKD

Frequency rating

50 to 60 Hz

Circuit breaker frame type

Complete breaker

Terminals

Line and load

Voltage rating

600 Vac, 250 Vdc

Terminal material

Aluminum

Trip Type

Fixed thermal, fixed magnetic

Resources

Application notes

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)
[Application of Tap Rules to Molded Case Breaker Terminals](#)
[UL listed 100%-rated molded case circuit breakers](#)

Brochures

[Circuit breaker motor operators product aid](#)
[310+ MCCB product family pocket folder](#)
[Motor protection circuit breakers product aid](#)
[Power metering and monitoring with Modbus RTU product aid](#)
[Multi-wire lugs product aid](#)
[StrandAble terminals product aid](#)
[Current limiting Series C molded case circuit breakers product aid](#)
[MOEM MCCB Product Selection Guide](#)
[Plug-in adapters for molded case circuit breakers product aid](#)
[K-Frame 310+ Molded-case circuit breakers](#)
[Breaker service centers](#)

Catalogs

[Eaton's Volume 4—Circuit Protection](#)
[Molded case circuit breakers catalog](#)

Drawings

[HKD3 2D Drawing Xchange](#)
[HKD3 3D Model Xchange](#)
[HKD3 AutoCAD 2D Footprint](#)
[HKD3 2D PDF](#)
[HKD3 3D Inventor](#)
[HKD3 AutoCAD 2D Footprint \(mm\)](#)

Installation instructions

[Instruction Leaflet for the KES 310+ Electronic Trip Unit](#)
[Installation Instructions for DK, KDB, KD, HKD, KDC, KW, HKW, KWC, CKD, CHKD Circuit Breakers and Molded Case Switches](#)

Multimedia

[Circuit Breakers Explained](#)
[Circuit breakers explained](#)

Specifications and datasheets

[Eaton Specification Sheet - HKD3300](#)
[Series C F-Frame molded case circuit breakers](#)

Series C J-Frame molded case circuit breakers time current curves

MOEM MCCB product selection guide

Series C G-Frame molded case circuit breakers time current curves

F-Frame 310+ Molded-case circuit breakers 15-225A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)